



*DRAG-LINE SYSTEMS
& ACCESSORIES*



ABOUT US

We are an agricultural based business located in the Heart of Huron County, situated in southwestern Ontario.

WER Rentals & Sales and WER Mfg are divisions of Walton Equipment Rentals Inc.

Walton Equipment Rentals specialize in the rentals of manure spreaders and dump trailers, with WER Manufacturing's main focus being drag-line systems.

Table of Contents

	Page
1. Dribble Boom - Tank Mount.....	1
2. Dribble Boom - Dragline.....	2
3. Spread Boom - N660 - 3 Nozzle	3
4. Spread Boom - N660 - 2 Nozzle	4
5. Spread Boom - N640	5
6. Coiler - Tandem 20	6
7. Coiler - 16 Hose	7
8. Coiler - 10 Hose	8
9. Coiler - TPH Professional.....	9
10. Coiler - TPH Heavy Duty	10
11. Coiler - TPH Compact.....	11
12. Coiler Information	12
13. Hose Mover.....	13
14. Distributor	14
15. In-line Chopper	15
16. Drag Line Accessories.....	16
17. Notes.....	17

Dribble Boom - Tank Mount 30FT - 40FT



30/40 Outlet, Tank Mount, Folding Dribble Boom

The WER Dribble Boom is fitted with a WER Inverted Macerator/Distributor. When you combine this with 3" pipework, it means a 9,500 Gallon tank can be emptied in 2 minutes.

Comes standard with a galvanized finish, rear hitch, and has a 12" row spacing.


**AIRBAG
ARM
SUSPENSION**



**WER
DISTRIBUTOR**



**EASY
CLEAN OUT**




**THREE POINT
AND FOUR
POINT HITCH
OPTION**



Dribble Boom - Dragline

40FT



60FT



40/60 Outlet, Dragline, Folding Dribble Boom

The WER Dribble Boom is fitted with a WER Inverted Macerator/Distributor and provides a consistent flow of liquid material that can handle 4000+gpm. Comes standard with a galvanized finish, rear hitch, and has a 12" row spacing.

**AIRBAG
ARM
SUSPENSION**



**WER
DISTRIBUTOR**



**FLOW-METER
OPTION**



**THREE POINT
AND FOUR
POINT HITCH
OPTION**



N660 SPREAD BOOM 3 NOZZLE



60 FT. SPREAD

The WER N660 heavy duty Spread Booms are designed to maximize efficiency. Equipped with a center nozzle to provide better spread pattern versatility, and faster clean out options.

**RUBBER & STEEL
NOZZLES**



**HYD TELESCOPIC
FOLDING ARMS**



**EXTENDABLE
SWINGARM &
SWIVEL**



**3 BRASS
HYDRAULIC
VALVES**



N660 SPREAD BOOM 2 NOZZLE



60 FT. SPREAD

The WER N660 2 nozzle Spread Boom has a heavy duty construction and galvanized finish, and is designed for ease of operation and years of reliable service.

**RUBBER & STEEL
NOZZLES**



**HYD TELESCOPIC
FOLDING ARMS**



**EXTENDABLE
SWINGARM &
SWIVEL**



**2 BRASS
HYDRAULIC
VALVES**



N640 SPREAD BOOM

2 NOZZLE



40 FT. SPREAD

The WER N640 Spread Boom is a compact & economical model, which incorporates the same high quality design and galvanized finish as our robust commercial line of Spread Booms.

**RUBBER & STEEL
NOZZLES**



**EXTENDABLE
ARMS**



**EXTENDABLE
SWINGARM &
SWIVEL**



TANDEM 20 DOUBLE DRIVE




2-1/2 MILE OF HOSE


LARGE CAPACITY

The WER Tandem 20 is a high capacity hose coiler system capable of carrying 2-1/2 miles of lay flat hose. This uniquely versatile system consists of lead and trail units, which can be operated in unison from one tractor or independently as separate units.


**DIRECT DOUBLE
DRIVE SYSTEM**




**88"
DIAMETER
REELS**



**OFFSET
TONGUE**



**10,000 LB
AXLES**



16 HOSE COILER DOUBLE DRIVE




2 MILE OF HOSE

HEAVY DUTY - LARGE CAPACITY

The WER 16 Hose Coiler comes standard with heavy duty frame and tandem walking beam axles. This Coiler utilizes a direct double drive system to increase power and reduce wear.


**DIRECT DOUBLE
DRIVE SYSTEM**



**102"
DIAMETER
REEL**



**OFFSET
TONGUE**



**10,000 LB
AXLES**




10 HOSE COILER DOUBLE DRIVE



EFFICIENT & VERSATILE

The WER 10 Hose Coiler, is a single axle model, boasting a hydraulic double drive system, offset tongue, front roller, and a rear hitch, as standard features. Optional features include tail lights, toolbox, tire upgrades, and a removable galvanized steel floor. Its simple operation make this an ideal fit for any drag line system.


**DIRECT DOUBLE
DRIVE SYSTEM**



**88"
DIAMETER
REELS**



**OFFSET
TONGUE**



**10,000 LB
AXLES**



TPH HOSE COILER PROFESSIONAL DUTY



3/4 MILE OF HOSE


BUILT TO LAST

The WER Professional Duty TPH hose coiler will provide flexibility and durability, both as a stand-alone unit, or as an addition to a developing drag line system. Holds 6 x 6" hoses and is powered by a huge 630cc motor. Suits the front or rear TPH of the tractor.


ADJUSTABLE
LEGS



630CC
HYDRAULIC
MOTOR



DIRECT
DRIVE



64"
DIAMETER
REEL



TPH COILER HEAVY DUTY



1/2 MILE OF HOSE


VERSATILE & RUGGED

With its additional features, the WER Heavy Duty 3 point hitch mount hose coiler will provide flexibility and durability, both as a stand-alone unit, or as an addition to a developing drag line system.


ADJUSTABLE
LEGS



400CC
HYDRAULIC
MOTOR



DIRECT
DRIVE



64"
DIAMETER
REEL



TPH COILER COMPACT



1/4 MILE OF HOSE

SMALL & VERSATILE


WER's Compact TPH Coiler.

- Holds 2 X 6" hoses
- Same heavy duty motor and gears
- Perfect for transport or storage
- Compliments our current, well proven 4 & 6 hose TPH models.


60"
DIAMETER
REEL



315CC
HYDRAULIC
MOTOR




DIRECT
DRIVE



COILER INFORMATION

COILER CAPACITY	HOSE SIZE				
	5"	6"	7"	8"	10"
TANDEM 20		20 Lengths 2-1/2 Miles 4 Km	15 Lengths 1-3/4 Miles 3 Km	10 Lengths 1-1/4 Miles 2 Km	6 Lengths 3/4 Mile 1.2 Km
16 HOSE COILER		16 Lengths 2 Miles 3.2 Km	12 Lengths 1-1/2 Miles 2.4 Km	10+ Lengths 1 Mile 1.6 Km	5 Lengths 5/8 Mile 1 Km
10 HOSE COILER		10 Lengths 1-1/4 Miles 2 Km	7 Lengths 1 Mile 1.6 Km	5 Lengths 3/4 Mile 0.75 Km	3 Lengths 1/3 Mile 0.6 Km
T.P.H. COILER 9' WIDE	7-1/2 Lengths 1 Mile 1.5 Km	6 Lengths 3/4 Mile 1.2 Km	4-1/2 Lengths 1/2 Mile 0.968 Km	3 Lengths 3/8 Mile 0.6 Km	1-1/2 Lengths 3/16 Mile 0.3Km
T.P.H. COILER 6' WIDE	5 Lengths 3/4 Mile 0.75 Km	4 Lengths 1/2 Mile 0.8 Km	3 Lengths 3/8 Mile 0.645 Km	2 Lengths 1/4 Mile 0.4 Km	1 Length 1/8 Mile 0.2 Km
T.P.H. COILER COMPACT	3 Lengths 3/8 Mile 0.645 Km	2 Lengths 1/4 Mile 0.4 Km			

Below illustrates how the Tandem 20 works.



TPH HOSE MOVER

HD



REDUCE HOSE DAMAGE

The WER twin drum Hose Mover provides superior hose moving capabilities compared to other single drum models. Its telescopic hyd width adjustment provides a large surface radius when moving hose, yet still allowing a compact transport width.

**HYD LIFT & WIDTH
ADJUSTMENT**



**1-1/2"
FRAME
PIVOTS**



**HEAVY
FRAME
CONSTRUCTION**



MACERATOR / DISTRIBUTOR



VARIOUS MODELS AVAILABLE



HIGHER PRODUCTIVITY

The WER Macerator / Distributor provides a consistent flow of liquid material for a wide range of application methods. The high grade chopping system, and auto-reverse function, ensure an obstruction free, and balanced distribution of your product.

**AUTO
REVERSE
VALVE**



**HIGH GRADE
KNIVES**



**2" PRESSURE
RELIEF
VALVE**



**UPRIGHT
MODELS
AVAILABLE**



INLINE CHOPPER




**AVAILABLE
AS A TRAILED OR
STATIONARY UNIT**

**3000 & 4000 Gallon
Units Available**

REDUCE COSTLY DOWNTIME

The WER Inline Chopper's primary purpose is to prevent obstructions entering the drag line system. This ensures greater productivity by reducing blockages, and eliminating unnecessary pump repair.

**ANTI-JAM
AUTO
REVERSE**



**EASY CLEAN-
OUT &
MAINTENANCE**



**HIGH
GRADE
KNIVES**



DRAG-LINE ACCESSORIES



INLINE BALL CATCHER

Fully galvanized inside and out. Quick release internal cage for Ball removal. Suitable for up to 8 inch sponge balls and bullets.



HOSE PINCHER

Temporarily shut off the flow to repair your hose.



THIRD NOZZLE

To provide better spread pattern versatility, and faster clean out options.



BLOW-OUT COUPLER


Creates an easy access point for inserting the blow-out ball/plug. Can be used for adding air to the lines for partial clean out, or adding a ball for complete clean out. Complete with 6" stainless steel knife gate valve & cast /stainless body.



FLOW METER

Magnetic flow meters are intended to measure the flow of electrically conductive liquids in pipes.

OUR LOCATION



www.wergroup.ca

PHONE

Toll Free 877-557-7527
Phone 519-887-9319

ADDRESS

42822 Blyth Rd
RR#1
Walton, ON, N0K 1Z0

DEALER STAMP

FIND US ON

